JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
64(4), 1991, pp. 463–466

INDEX TO VOLUME 64

Acanthocephala terminalis, at owl droppings, 458
Acari, Banks grass mite, 209
Acari, twospotted spider mite, 388
Acharia pauper and parasitoid, 443
Adams, J.K., 443
African honey bees, queen activity, 269
Alcock, J., 349
alfalfa cultivars damaged by potato leafhopper, 152
allele frequencies, related to diet, 265
Alston, D. G., 197
Andrenidae, behavior, 394
Andrenidae, nesting biolgy, 80
Anthomyiidae, seedcorn maggot, 216
Anthophoridae, behavior of *Xylocopa*, 349
Anthophoridae, nest variability, 156
Anthophoridae, Nomadinae, 23
Anthophoridae, wingbeat frequency, 107
antibiosis, technique for determining, 146
ants, portable colonies for, 116
aphid predators, on winter wheat, 245
Aphididae, esterases of greenbug, 357
Aphididae, greenbugs, 1
Apidae, behavior of male *Eulaema*, 421
Apidae, orchid bees, 88, 421
Apis mellifera, pollinator of meadowfoam, 95
Apis mellifera scutellata, queen activity, 269
Apoidea, factors affecting nesting sites in soil, 406
aquatic Heteroptera, nomenclatural changes, 438
Arbogast, R. T., 345
arthropods associated with cattle dung, 131
Aslam, M., 51, 109
aspen, interactions with caterpillars of Lepidoptera, 372; defensive chemistry, 373
Ayers, G. S., 116

Baker, J. E., 265
Banks grass mite, 209
Barker, J. F., 459
Barron, J. A., 209
Barry, D., 179
Bay, D. E., 163
Beerwinkle, K. R., 163
bees, Anthophoridae: Nomadinae, 23
bees, *Apis* workers reared in drone comb, 193
bees, behavior of male *Eulaema*, 421
bees, behavior of *Perdita*, 394
bees, ground-nesting, related to soil characteristics, 406
bees, nest variability in *Centris*, 156
bees, nesting biology, 80
bees, size-weight relationships in *Osmia*, 174
bees, survival and reproduction in *Osmia lignaria*, 95
bees, wing buzzing, 88
bees, wingbeat frequency in *Centris*, 107
behavior, mate-iocating, 349
behavior, mating, of *Megachile fortis*, 324
behavior, nesting, of *Tachysphex tarsatus*, 300
behavior, nesting and foraging, of *Perdita*, 394
behavior, oviposition with and without mating, in orangeworm, 414
behavior, territorial, of male *Eulaema*, 421
Belthoff, J. R., 458
biochemical ecology, of aspen-feeding Lepidoptera, 372
black cutworm, food of adults, 381
black cutworm, laboratory diet, 45
black walnut, nut mortality, 38; insect pests, 38
black walnut curculio, 38
Blocker, H. D., 123
blow flies, factors affecting oviposition, 287
Bomar, C. R., 295
Bombyliidae, parasitoid of limacodid moth, 443
book review Natural History of Social Wasps and Bees . . . Sumatra, 94
Brillhart, D. B., 344
Bristow, C. M., 116
Brown, G. C., 388
Brown, P. A., 127
Buchmann, S. L., 107
burying beetles, 447
Buschman, L. L., 1

Campbell, N. J., 116
Cane, J. H., 406
Capinera, J. L., 5
Centris aethyctera, nest variability, 156
Centris caesalpiniae, 107
Cerceris fumipennis, prey and parasites, 257
Cervenka, V. J., 131
Chloropidae, predaceous on grasshopper eggs, 221, 225; new genus and species, 221
chlorpyrifos, control of western corn rootworm, 451
chlorpyrifos-methyl, greenbug resistance, 1
Chowdhury, M. A., 1
Cicadellidae, new genus of, 123
Cicadellidae, potato leafhopper, 152
cladistic analysis, in Nomadinae, 23
cladistic analysis, in Trichoptera, 363
cocoon spinning, by tenebrionid beetle larva, 237
Cocrassana, new genus, 124; **riepmai**, new species, 124
Coleoptera, in cattle dung, 131
control strategies, adult and larva of European corn borer, 185
Coreidae, associated with owl droppings, 458
corn, Banks grass mite on, 209
corn borer, European, parasitoids, 279
corn earworm, analysis of resistance to, 146
corn rootworm, in Ohio, 60
corn rootworm, northern, 251
Curculionidae, pests of black walnut, 38
Curtis, C. E., 414

Daly, H. V., 193
Danforth, B. N., 394
Danielson, S. D., 152
Dasymutilla scaevola, parasitoid of *Cerceris*, 257
defensive chemistry, of aspen, 373

density, of grasshoppers in pastures, 337
DePew, L. J., 1
Derrick, M. E., 185
detoxication, of phenolic glycosides, 374
development, in *Melanoplus*, 295
development, of corn rootworm, 251; of red sunflower seed weevil, 459
Diabrotica longicornis, 251
Diabrotica species, management in corn, 60
dietary effects of wheat bran on grasshoppers, 295
diets, experimental, for corn earworm, 146
dispersal, of Banks grass mite, 209
Dudley, R., 88
dung, arthropods associated with, 131
Dysart, R. J., 225
Dysartia, new genus, 221; **latigena**, new species, 222; biology, 225

Easton, C., 287
egg diapause, of corn rootworm, 251
electrophoresis, esterases in greenbug, 357
ELISA, application in virus infection of sorghum, 18
Eriophyidae, in virus transmission, 18
Eulaema meriana, male behavior, 421
European corn borer, enemies of, 279
European corn borer, orientation, 179; control, 185
Evans, H. E., 257

Feir, D., 287
fiber formation, by beetle larva, 237
Fincher, G. T., 163
fire, effect on soil homopterans, 238
flight activity, diel, of Staphylinidae, 163
food sources, for adult black cutworm, 381
foraging behavior, of *Perdita*, 394
Formicidae, portable colonies for, 116
Fors, M., 120
Fox, L. B., 344
Frankie, G. W., 156
Frazer, K. S., 363, 445
fruit fly, oviposition, 197

Gerhardt, K. O., 381
Godfrey, K. E., 279
Godfrey, L. D., 279
Golden, K. L., 251
grasshoppers, density affected by cattle grazing, 337
grasshoppers, eggs attacked by chloropid larvae, 221, 225
grasshoppers, parasitism of, 5
grasshoppers, prey of *Tachysphex*, 300
grasshoppers, wheat bran in laboratory diet, 295; development, 295
grazing, by cattle, effects on grasshoppers, 337
greenbug aphids, esterases in, 357
greenbug aphids, predators of on winter wheat, 245
greenbug, resistance to insecticides, 1
Grugel, S., 459
Gunnarson, D. F., 45

Hall, F. R., 60
Halliday, W. R., 265
Hammond, R. B., 216
Harris, S. C., 363, 445
Harvey, T. L., 18
Helianthus annuus, pests of, 109; predacious insects on, 112; insecticide use on, 51
Hemiptera (Heteroptera), aquatic and semiaquatic, nomenclatural changes, 438
Hendrix, W. H., 45
Hildebrand, D. F., 388
honey bees, abnormal size, 193
honey bees, African, queen activity, 269
Hook, A. W., 257
Hunt, J. H., 127
Hunt, T. E., 279
Hunter, J. S., 163
Hydroptilidae new species, 363; new Arkansas records, 445

Ichneumonidae, temperature effects, 345
immature parasitoids, survival at low temperatures, 345
Inouye, D. W., 242
insect labels, computer production, 242
insecticides, effect on Sternorrhyncha in prairie soil, 238
insecticides, in control of European corn borer, 185
Isenhour, D. J., 146
Ixodes texanus, on raccoons, 344

Jahns, T. R., 95
Joachim, F. G., 459
Jolliff, G. D., 95
Jones, V. P., 197

Keaster, A. J., 381
Kerker, J. A., 127
Kondratieff, B. C., 69, 337
Krause, G. F., 381
Kurczewski, F. E., 300

labels, for insects, computer production, 242
Landolt, P. J., 414
Larsen, K. J., 123
larvae, of flies in cattle dung, 131
larval development, of sunflower seed weevil, in laboratory, 459
larval threshold, in IPM in corn, 60
leafhoppers, new genus, 123
Lepidoptera, herbivores on aspen, 372
Leschen, R. A. B., 237
lice, anatomy described on video cassette, 120
Limacodidae, parasitized by bomyliid, 443
linden, blossoms as food source for adult black cutworm, 381
Lindroth, R. L., 372
Linit, M.J., 38
Lockwood, J. A., 295
locust twig borer, parasitoids of, 77
longevity, of corn rootworm, 251
low temperature, effect on *Venturia canescens*, 345
Lowry, S. R., 451

maize weevil, gene frequencies, 265
Manglitz, G. R., 152
Mantispidae, of Colorado, 69; key, 69
Margolies, D. C., 209
mate-locating behavior of *Xylocopa*, 349
mating frequency, in navel orangeworm, 414
Mayo, Z B , 357
meadowfoam, *Limnanthes alba*, pollination by *Osmia lignaria*, 95
Medicago, potato leafhopper on, 152
Megachile fortis, nesting biology, 324
Megachilidae, nesting biology, 324
Megachilidae, size-weight relationships, 174
Megachilidae, survival and reproduction in *Osmia lignaria*, 95
Meinke, L. J., 251
Melanoplus sanguinipes, laboratory reared, 295
Mends-Cole, M., 179
meridic diet, for rearing black cutworm, 45
Messina, F. J., 197
Michener, C. D., 94
microvideo camera, for recording data on anatomy of lice, 120
Miliczky, E., 80
mites, dispersal within plant host, 209
Mock, D. E., 344
Moon, R. D., 131
Morse, R. A., 193
Muths, E. L., 447
Mutillidae, parasitoids of *Cerceris*, 257

navel orangeworm moth, 414
Neff, J. L., 324, 394
nest variability, in *Centris*, 156
nesting behavior, of *Perdita*, 394
nesting behavior, of pompilid wasps, 231
nesting behavior, of *Tachysphex tarsatus*, 300
nesting biology, of *Megachile fortis*, 324
nesting biology, of panurgine bees, 80
nesting ecology, of *Perdita*, 406
Nicrophorus orbicollis, 447
Noctuidae, black cutworm, rearing, 45
nomenclature, changes in Hemiptera, 438
Nordin, G. L., 77
Nurdin, F., 388

Ochrotrichia shawnee group, cladistic analysis, 363; **robisoni**, new species, 364
Opuntia, food source for *Perdita*, 394
orchid bees, 88
orientation, of European corn borer within maize plant, 179
Osmia lignaria, survival and reproductive success, 95
Ostrinia nubilalis, natural enemies, 279
oviposition, by cherry fruit fly, 197
oviposition, by navel orangeworm, 414
oviposition, factors affecting, by blow flies, 287
owl droppings, and associated Coreidae, 458

parasites, of *Cerceris*, 257
parasites, of grasshoppers, 5
parasitoids, of arthropods in cattle dung, 131
parasitoids, of European corn borer, 279
parasitoids, of locust twig borer, 77
parasitoids, temperature effects in *Venturia*, 345
parathion, greenbug resistance, 1
Parentoni-Martins, R., 231
pastures, Staphylinidae in, 163
Perdita texana, behavior, 394
Peters, L. L., 451
Phaenicia sericata, oviposition, 287
phylogenetic analysis, in Trichoptera, 363
plant-insect interactions, 372
plants, as food sources for adult black cutworm, 381
Polhemus, J. T., 438
pollen, in diet of wasps, 127
pollination, of *Opuntia* by *Perdita*, 394
pollination, of meadowfoam by *Osmia lignaria* and *Apis mellifera*, 95
Pompilidae, nesting behavior, 231; prey, 231
portable colonies of *Formica exsectoides*, 116
potato leafhopper, on alfalfa, 152
prairie, tallgrass, effects of fire, mowing and insecticides on soil insects, 238
predation, of grasshopper eggs by chloropid fly larvae, 225
predators, arthropod, on irrigated and drouth-stressed corn, 279
predators, of aphids, 245
Press, J. W., 345
prey, of *Cerceris fumipennis*, 257
prey, of Pompilidae, 231
prey, of *Tachysphex*, 311
Przybyszewski, J., 5
Pydrin insecticide, control of sunflower moth, 51

queen activity in African honey bees, 269

raccoons, hosts of ticks, 344
red sunflower seed weevil, larval development, 459
Redak, R., 337
Reddy, M. V., 238
Reed, J. P., 60
resistance, of corn to corn earworm, 146
resistance, of soybean to spider mite, 388
Rhopalolemma, new genus, 33; **robertsi**, new species, 34
Rice, M. E., 245
Ritchison, G., 458
Robison, H. W., 445
Rodriquez, J. G., 388
Roig-Alsina, A., 23
Royer, T. A., 112
Rust, R. W., 174

Sabrosky, C. W., 221
Sago, K. M., 127
Sarcophagidae, parasites of grasshoppers, 5
Schizaphis graminum, esterases in, 357
Schneider, S. S., 269
Schreiber, A. A., 38
seasonal distribution, of Staphylinidae, 163
Seastedt, T. R., 238
seedcorn maggot; on soybean, 216

Seifers, D. L., 18
semiaquatic Heteroptera, nomenclatural changes, 438
Showers, W. B., 45, 185
Silphidae, substrate discrimination, 447
Simmons, G. A., 116
Simpson, B. B., 324
Sitophilus zeamais, gene frequencies, 265
Sivakumaran, S., 357
size-weight relationships in *Osmia*, 174
Sloderbeck, P. E., 1
Smicronyx fulvus, larval development in laboratory, 459
soil characteristics, related to nesting of bees, 406
Sorensen, E. L., 152
sorghum, infected by wheat streak mosaic virus, 18
soybean, inducible resistance to spider mite, 388
soybean, seedcorn maggot in, 216
Spangler, H. G., 107
species composition, of grasshoppers in pastures, 337
sphecidae, nesting behavior, 300
spider mites, resistance to in soybean, 388
spiders, as prey of pompilid wasps, 231
Spomer, S. M., 279
Staphylinidae, in pastures, 163
Stern, D. L., 88, 421
Sternorrhyncha, density in tallgrass prairie, 238
Stoy, W. M., 120
substrate discrimination, by silphid beetles, 447
sunflower, pests of, 109; predacious insects on, 112
sunflower moth, control, 51
Systropus acutus and host, 443

Tachinidae, parasites of grasshoppers, 5
Tachysphex tarsatus, nesting behavior, 300
Taylor, R. A. J., 60
Tephritidae, western cherry fruit fly, 197
territoriality, of male *Eulaema*, 421
Tetranychidae, grass mite, 209
Thoeny, W. T., 77
ticks, from raccoons, 344
tillage, effect on western corn rootworm, 451
Trichoptera, new Arkansas records, 445
Trichoptera, *Ochrotrichia shawnee* group, 363
twospotted spider mite, 388

Upton, S. J., 344

Venturia canescens, 345
Vespidae, eating pollen, 127
vibration dance, in African honey bees, 269
video cassette recorder, use with slide-mounted specimens, 120
Vinson, S. B., 156

Walgenbach, D. D., 112
wasps, eating pollen, 127
weevil, red sunflower seed, larval development, 459
Welch, J. L., 69, 337
western cherry fruit fly, 197
western corn rootworm, control of 451
wheat bran, laboratory dietary effects, 295
wheat curl mite, 18
wheat streak mosaic virus, 18
Wilde, G. E., 51, 109, 245
Williams, S., 120
Wilson, H. R., 60
wing buzzing, by male orchid bees, 88
wingbeat frequency, temperature effect on, 107
Wiseman, B. R., 146
Wynne, J. W., 381

Xylocopa californica arizonensis, behavior, 349

Yanega, D., 443